

IPE sijas


h - sijas augstums

b - sijas platums

s - vidējās sienas biezums

t - plaukta biezums

P - sijas šķērsgriezuma perimetrs, m



Profils	M (kg/m)	h (mm)	b (mm)	s (mm)	t (mm)	P (m)
IPE 100	8.1	100	55	4.1	5.7	0.4
IPE 120	10.4	120	64	4.4	6.3	0.475
IPE 140	12.9	140	73	4.7	6.9	0.551
IPE 160	15.8	160	82	5	7.4	0.623
IPE 180	18.8	180	91	5.3	8	0.698
IPE 200	22.4	200	100	5.6	8.5	0.768
IPE 220	26.2	220	110	5.9	9.2	0.848
IPE 240	30.7	240	120	6.2	9.8	0.922
IPE 270	36.1	270	135	6.6	10.2	1.04
IPE 300	42.2	300	150	7.1	10.7	1.16
IPE 330	49.1	330	160	7.5	11.5	1.25
IPE 360	57.1	360	170	8	12.7	1.25
IPE 400	66.3	400	180	8.6	13.5	1.47
IPE 450	77.6	450	190	9.4	14.6	1.61
IPE 500	90.7	500	200	10.2	16	1.74
IPE 550	106	550	210	11.1	17.2	1.88
IPE 600	122	600	220	12	19	2.01